

	Ref #	Hits	Search Text	DBs
1	S1	7728	((alternate multiple select\$3 different additional option\$2 branch\$3) NEAR2 (plot end\$3 outcome story\$4)) WITH (channel frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	S4	106	((alternate multiple select\$3 different additional option\$2 branch\$3) NEAR2 (plot end\$3 branch storyline)) SAME ((tune tuning switch\$3 change) NEAR4 ((alternate different additional secondary) NEAR3 (channel frequency)).)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	S29	241	((vot\$3 poll\$3 survey) WITH (plot end\$3 outcome story\$5)) AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	S10	17	("4290141" "4305131" "4569026" "4591248" "4974252" "5465384" "5737527" "5758257" "5795228" "5796393" "5848934" "6064971" "6108644" "6308328" "6457045" "6507865" "6523063").PN.	US-PGPUB; USPAT; USOCR
5	S9	0	("6947966").URPN.	USPAT
6	S18	176	S17 NOT S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	S8	20	("5465384").URPN.	USPAT
8	S27	50	((vot\$3) NEAR8 (plot end\$3 outcome story\$5)) AND "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
9	S28	19	S27 AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	S26	1	S25 AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	S17	179	S16 AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	S25	14	((vot\$3) NEAR2 (plot end\$3 outcome story\$5)) AND "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	S24	20	("5465384").URPN.	USPAT
14	S12	136	725/135.ccls. AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	S11	20	("5465384").URPN.	USPAT
16	S5	48	S4 AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
17	S30	159	S29 AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	S7	43	S6 AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	S6	127	((alternate multiple select\$3 different additional option\$2 branch\$3) NEAR2 (plot ending storyline)) AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	S13	19	((alternate multiple select\$3 different additional option\$2 branch\$3) NEAR2 (plot end\$3 outcome story\$4)) AND S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	S16	300	((alternate multiple select\$3 different additional option\$2 branch\$3) NEAR2 (plot ending storyline)) AND "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	S14	2296	((alternate multiple select\$3 different additional option\$2 branch\$3) NEAR2 (plot end\$3 outcome story\$4)) AND "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	S15	1236	S14 AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
24	S3	120	S2 AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	S23	2	S22 AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	S20	19	((vot\$3) NEAR2 (plot end\$3 outcome story\$5)) AND "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	S21	8	S20 AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	S22	13	((vot\$3) NEAR2 (plot end\$3 outcome story\$5)) AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	S2	206	S1 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	S19	19	((vot\$3) NEAR2 (plot end\$3 outcome story\$4)) AND "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
31	S34	12	S20 AND ((@ad <= "20001229") or (@rlad <= "20001229"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	S39	204	725/135.CCLS. AND ((@ad <= "20001229") or (@rlad <= "20001229"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	S33	71	S31 AND ((@ad <= "20001229") or (@rlad <= "20001229"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	S32	59	S31 AND ((@ad <= "20000621") or (@rlad <= "20000321"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	S31	133	((vot\$3 poll\$3 survey) WITH (plot end\$3 outcome story\$5)) AND "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	S36	5	("5617539" "6438579" "6507865" "6515681" "6614451").PN.	US-PGPUB; USPAT; USOCR
37	S37	7	S22 AND ((@ad <= "20001229") or (@rlad <= "20001229"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	S35	4	S34 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
39	S38	6	S25 AND ((@ad <= "20001229") or (@rlad <= "20001229"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	S41	2	"5949974".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	S40	2	"20060031454"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	S42	7220	(default save saved stor\$3) NEAR2 ((user subscriber) ADJ (name ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB